

The Cell of the Molecular Biology of Chemical Allergy

Nityashree Mohapatra^{1*}

¹Roland Institute of Pharmaceutical Sciences, Khodasingi, Berhampur, Odisha

*Corresponding Author E-mail: nityashreerips@gmail.com

Abstract

Chemical allergy involves immune-mediated hypersensitivity reactions to low molecular weight chemicals (typically <1 kD) that act as haptens. To initiate an immune response, these chemicals must bind to carrier macromolecules, such as proteins, to form stable hapten-protein conjugates. This article reviews the molecular basis of chemical allergenicity, highlighting that chemical binding is an essential feature of these allergens. In vivo reactions with thiols can lead to glutathione deficiency, altering the cellular reduction-oxidation (redox) status and triggering the release of specific cytokines. These molecular changes promote a polarized immune response, often shifting toward a T helper cell 2 (Th2) phenotype, which is characteristic of respiratory sensitization. Understanding these mechanisms allows for the development of structure-activity relationship models to predict the allergenic potential of chemicals and improve medical surveillance in occupational settings.

Keywords- Haptens, Sensitization, Cytokines, Immunogenicity, Hypersensitivity

Received: Feb. 15, 2026

Revised: March 14, 2026

Accepted: May 28, 2026

Published: June 01, 2026

DOI: <https://doi.org/10.64474/3139-1559.Vol2.Issue1.2>

<https://rjami.nknpub.com/1/issue/archive>

This is an Open Access article distributed under the terms of the Creative Commons Attribution (CC BY NC), which permits unrestricted use, distribution, and reproduction in any medium, as long as the original authors and source are cited. No permission is required from the authors or the publishers. (<https://creativecommons.org/licenses/by-nc/4.0/>)

1. INTRODUCTION

The application of cell and molecular biology has led to an immense number of allergic reactions. This immense number of allergic reactions has made human health totally imbalanced ^[1]. This effect of molecular biology may cause many severe health problems. This imbalance of chemical allergy has made many people physically challenged & Toxited. Many allergic chemicals have caused humans to suffer from too many respiratory problems ^[2]. Allergy can be considered a fatal

disease for humans, and it can be a major aspect that can lead to the loss of human resources of the whole world. Chemical Energy is the type of energy that is obtained from chemical compounds or molecules, which can bring a huge amount of risk to people's lives and can form different physical challenges^[3]. The effect of massive inhalation of chemicals like tobacco and alcohol can lead to the destruction of human lives. Chemical energy can also lead to major physical health problems such as asthma and heart attacks.




Figure 1: Cell biology understanding for the allergic reaction

2. OBJECTIVES

The objectives of the study are

- to understand the concept of chemical allergy in the case of molecular biology
- to identify the cell that is responsible in case of allergic reactions
- to analyze the impact of chemical allergies on human health
- to evaluate the ways in which chemical allergies can be treated

3. METHODOLOGY

In this study, the concept of chemical allergy has been discussed, and here, the concept of allergic reactions can also be observed. Hereby, the evaluation of the ways by which the cell of this chemical allergic reaction is also viewed and analyzing the major tips for the treatment are also observed^[9]. In this research, secondary data and information have been collected related to the objectives, which are helpful for achieving the research goal.

4. CHEMICAL ALLERGY

Chemical allergy is a type of allergy that is composed of chemical compounds and can also lead to major physical challenges in human life, and can cause any destruction ^[5]. Chemical energy can also be impacted by harmful diseases, such as respiratory problems, such as asthma and rhinitis.



Chemical energy consists of nickel and many other chemicals. Chemical energy is one of the most important and dangerous allergies in this entire world. Chemical allergy can also be called one of the most life-threatening diseases of each and every individual in this entire world ^[6]. Chemical allergies can also be named toxic allergies.

5. MODES OF ACTION

The modes of action of chemical allergy in the human body are that at first, the cells of the human body are affected, and then the other parts of the body, mainly the respiratory system, and this can also lead to some kind of both physical and mental health problems. Sometimes it also leads to excessive levels of damage ^[7]. It can also make humans mentally imbalanced. Not only is it mentally imbalanced, but it also affects the outer part of the body, such as the skin, making it dull, dry, and lifeless, and also makes the cells dull and dry.


TYPES OF CHEMICAL ALLERGY

| | |
|--------------------|-----------|
| Chemical reactions | Chemicals |
|--------------------|-----------|

| | |
|--------------------|----------------------------------|
| Hypersensitivity | Drugs |
| Chemical Allergies | shampoo and cleanser & many more |

IMPACT ON HUMAN HEALTH

Chemical allergies to human health can be impacted by any kind of leaves, any kind of salt and respiratory problems like asthma and heart attacks, which can lead to death and destroy whole parts of the body of any person. It can also affect the inner cells, tissues, and muscles ^[10].



They can make both physically and mentally imbalanced. Not only is it mentally imbalanced, but it can also make one physically handicapped. Lastly, they also make the parts of the human body very weak, pale, and lifeless.

TREATMENT OF CHEMICAL ALLERGY

The human immune system is created with a special kind of antibody that can fight this kind of allergic reaction. After the identification of any kind of allergic reaction, immediate consultation with doctors is both essential and important and crucial too ^[8]. If any particular human is attacked with any kind of chemical allergic reaction, then the person needs to be treated and hospitalised immediately without wasting any time.

PROBLEM STATEMENT

The impact of these chemical allergies can bring a huge amount of destruction to human lives. But it can also affect each and every individual's immune system, making them both physically and mentally imbalanced, hampering our normal day-to-day life, and causing major losses in the world of human resources ^[9]. And it can also bring great damage to the world of human resource management. This chemical allergy can also affect both inner parts of our body and can provoke human persons to lead an imbalanced life, so this chemical allergy can also lead to diseases like respiratory and heart-related problems ^[3]. Lastly, this chemical allergy can bring a huge amount of mental and physical health problems

6. CONCLUSION

Here in the above research, the definition of chemical allergy is identified first, and then the impact and role of the cell in the molecular biology of chemical allergy, an overall analysis of both the impacts and essential treatments of chemical allergy has been identified and came to the conclusion that awareness of chemical allergy is the most important and vital aspect of life. Awareness should be taken before it's affected, and precautions should be taken for sure. Here, the impacts, treatments, and types are identified, as are the modes of action in chemical allergy. The objectives are also mentioned in the above research, and the methodology for chemical allergy is also observed.

References

- [1]. Kounis, N. G., Koniari, I., de Gregorio, C., Velissaris, D., Petalas, K., Brinia, A., ... & Hung, M. Y. (2021). Allergic reactions to current available COVID-19 vaccinations: pathophysiology, causality, and therapeutic considerations. *Vaccines*, 9(3), 221. <https://www.mdpi.com/2076-393X/9/3/221/pdf>
- [2]. Cabanillas, B., Akdis, C., & Novak, N. (2021). Allergic reactions to the first COVID-19 vaccine: a potential role of Polyethylene glycol. *Allergy*, 76(6), 1617-1618. <https://www.icpcovid.com/sites/default/files/2020-12/EP%2095%207%20C%20Allergic%20reactions%20to%20first%20COVIDS->

19%20vaccine%20Role%20of%20PEG%20Cezmi%20Akdis%20Allergy%20Dec%202020.pdf

- [3]. Montero-Vilchez, T., Cuenca-Barrales, C., Martinez-Lopez, A., Molina-Leyva, A., & Arias-Santiago, S. (2021). Skin adverse events related to personal protective equipment: a systematic review and meta-analysis. *Journal of the European Academy of Dermatology and Venereology*, 35(10), 1994-2006. <https://onlinelibrary.wiley.com/doi/pdf/10.1111/jdv.17436>
- [4]. Haynes, J., Jackson, M., & Smugar, S. S. (2022). Increased risk of severe cutaneous adverse reactions when cladribine is used together with other medications with a propensity for skin reactions. *Leukemia & Lymphoma*, 63(12), 2965-2974. <https://www.mdpi.com/2076-393X/9/3/221/pdf>
- [5]. Martinez-Lopez, A., Cuenca-Barrales, C., Montero-Vilchez, T., Molina-Leyva, A., & Arias-Santiago, S. (2020). Review of adverse cutaneous reactions of pharmacologic interventions for COVID-19: A guide for the dermatologist. *Journal of the American Academy of Dermatology*, 83(6), 1738-1748. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7413159/>
- [6]. Thornhill, M. H., Dayer, M. J., Durkin, M. J., Lockhart, P. B., & Baddour, L. M. (2019). Risk of adverse reactions to oral antibiotics prescribed by dentists. *Journal of dental research*, 98(10), 1081-1087. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7883102/>
- [7]. Mencarelli, A., Gunawan, M., Yong, K. S. M., Bist, P., Tan, W. W. S., Tan, S. Y., ... & Chen, Q. (2020). A humanized mouse model to study mast cells mediated cutaneous adverse drug reactions. *Journal of Leukocyte Biology*, 107(5), 797-807. <https://jlb.onlinelibrary.wiley.com/doi/pdf/10.1002/jlb.3ma1219-210rr>
- [8]. Fania, L., Morelli, M., Scarponi, C., Mercurio, L., Scopelliti, F., Cattani, C., ... & Albanesi, C. (2020). Paradoxical psoriasis induced by TNF- α blockade shows immunological features typical of the early phase of psoriasis development. *The Journal of Pathology: Clinical Research*, 6(1), 55-68. <https://onlinelibrary.wiley.com/doi/pdf/10.1002/cjp2.147>
- [9]. Salvador-Rodriguez, L., Montero-Vilchez, T., Arias-Santiago, S., & Molina-Leyva, A. (2020). Paradoxical hidradenitis suppurativa in patients receiving TNF- α inhibitors: case series, systematic review, and case meta-analysis. *Dermatology*, 236(4), 307-313. <https://joii-journal.springeropen.com/articles/10.1186/s12348-020-00234-y>